

TECHNICAL PRODUCT INFORMATION

Product: Highly Stabilized film for solarization

Catalog Number: E1325

Product description: Clear Stabilized film for solarization. The plastic sheets allow the sun's radiant energy to be trapped in the soil and heating the soil. Solarization during the hot summer months can increase soil temperature to levels that kill many diseases and weed seed. Soil solarization also improves soil structure and increases the availability of nitrogen (N) and other essential plant nutrients. Solarization is a simple, safe, and effective method that has been used with field, vegetable, and flower crops. It can be combined with organic soil amendments or reduced rates of pesticide application for greater effectiveness. The plastic sheets should be left in place for 4 to 8 weeks to allow the soil to heat to the greatest depth possible.

Soil Preparation

Solarization is most effective when the plastic film is laid as close as possible to a smooth soil surface. Preparation of the soil begins by disking or roto-tilling to break up clods and then smoothing the soil surface. Remove any objects or debris that will raise or puncture the plastic.

UV Stability 12 months

Thickness: 30-50 μ

Product properties

Property	Test Method	Units	Value
Tensile Strength at break[MD]	ASTM D-882	MPa.	25
Tensile Strength at break[TD]	ASTM D-882	MPa.	25
Elongation at break [MD]	ASTM D-882	%	500 min
Elongation at break [TD]	ASTM D-882	%	500 min
Falling Dart Impact	ASTM D-1709	gr.	300
Total light transmission	EN 13206	%	90
Thickness average tolerance	EN 13206	%	± 5 on nominal

All statements, information and data given herein are believed to be accurate a reliable, but are presented without guarantee or responsibility any kind, express or limited. Statement or suggestion concerning possible use of our product without representation or warranty that any such use is free of patent infringement, and are not recommendation to patent. The user should not assume that all safety measures are indicated, or that other measures may not be required.